

Condensation pump WDH-KP40



Dear Customer,

You have chosen a high quality product. To ensure that you have a lot of pleasure from this product, here are a few more tips:


In case of any problems:

We hope the device meets your expectations ! If, despite the greatest possible care, there should ever be cause for complaint, we ask you to contact us briefly, because we are very concerned about your satisfaction and we would like to clear up any possible misunderstanding.

Important safety instructions:

- Read the operating instructions carefully before using the product !
- Any use not expressly recommended by the manufacturer may result in injury, damage or fire !
- Use/apply the recommended mains voltage to operate the device !
- The device must not be used by children under the age of 8 !
- The device must always be monitored if there are children in the vicinity !
- Never insert objects into the device or the water inlet. This may cause damage to the device or an electric shock !
- The pump is suitable for condensed water, but not for dirty water.
- Do not cover the pump and make sure that there is enough free space around the pump during operation so that the water can be sucked in without any problems !
- Use the pump only for sucking off water !
- Place the device on a straight and level surface.
- Always disconnect the device from the power supply when not in use !
- Do not make any independent modifications to the device !
- Only qualified personnel are allowed to open the device !

Item description:



1.) Water outlet

2.) Water intake

3.) Suction cups

4.) Drain hose

5.) Pump filter


6.) Water sensor

7.) Connection socket

8.) Connector plug

9.) Power plug

Description: pump installation using a dehumidifier as an example:



- 1.) Dehumidifier
- 2.) Dehumidifier water tank
- 3.) Condensation pump
- 4.) Connection of the connection socket with the connection plug
- 5.) Mains plug (Connected to the socket)
- 6.) Outlet on the dehumidifier to lead out drain hose and power cable
- 7.) Drain hose
- 8.) End of the drain hose → Water outlet

Directions for use:

- 1.) First, insert the supplied drain hose over the water outlet nozzle. Make sure that the hose is properly and firmly inserted on the water outlet nozzle.

Then connect the connection socket of the pump with the connection plug of the power cable. Take special care here that everything is firmly connected and that this cable connection is outside the water tank and the dehumidifier !

- 2.) Place and fix the pump on the bottom of the water tank. Make sure that the pump is placed straight and stable. Use the suction knobs attached to the device for this purpose.
- 3.) Now guide the drain hose through the outlet provided for this purpose on the dehumidifier (e.g. plug to the hose connection) and guide the end of the hose to a water drain (sink, drain, WC, etc.). Please ensure that the pump can only pump upwards a maximum of 3 meters.
- 4.) Now also lead the power cable of the pump through the outlet provided for this purpose on the dehumidifier and connect the mains plug to your socket. Your condensation pump is now ready for use.

As soon as the water level in the water tank reaches the sensor on the condensation pump, the pump will automatically turn on and pump the water out of the tank.

As soon as the water level in the water tank drops again, the pumping process is stopped by the sensor.

Technical data:

Model name:	WDH-KP40
Voltage:	100 - 240 V ~ 50/60Hz - 12V
Max. Power consumption:	approx. 8 W
Length of the hose:	3 m
Tube diameter:	1 cm
Protection class:	IPX8
Max. Head:	3 m
Max. Flow rate:	450 l/h
Service life:	Approx. 30,000 hours
Max. Noise level:	36 dB/A
Application range:	up to max. 70°C and a pH value between 5 - 10
Continuous operation:	Suitable
Protection class:	IP68
Dimension (H/W/D):	60 x 50 x 70 mm
Weight:	0,2 kg

For the technical data are subject to deviations !!!

Other:

Warranty Statement:

Notwithstanding the statutory warranty claims, the manufacturer grants a warranty in accordance with the laws of your country, but at least 1 year (in Germany 2 years for private persons). The start of the warranty is the date of sale of the device to the end user. The warranty covers only defects that are due to material or manufacturing defects. Warranty repairs may only be performed by an authorized customer service. To make your warranty claim, the original sales receipt (with date of sale) must be enclosed.

Excluded from the warranty are:

- Normal wear
- Improper applications, such as overloading the device or non-approved accessories.
- Damage due to external influences, use of force or foreign objects
- Damage caused by non-observance of the operating instructions, e.g. connection to an incorrect mains voltage or non-observance of the assembly instructions.
- Completely or partially dismantled equipment

Conformity:

The meter has been tested and itself and/or parts of it have been manufactured under the following (safety) standards:

CE (EMC) conformity, of course.

Conformity tested according to: EN 55014-1:2017
EN 55014-2:2015
EN 61000-3-2:2019
EN 6100-3-3:2013+A1:2019

Correct disposal of this product:



Within the EU, this symbol indicates that this product should not be disposed of with other household waste. Old devices contain valuable recyclable materials that should be recycled. In addition, the environment or human health should not be polluted by uncontrolled waste disposal. Please dispose of

Therefore, dispose of old devices via suitable collection systems or send the device for disposal to the place where you purchased it. They will then send the device for recycling.

Much pleasure with this device wishes

Your Aktobis AG

Keep these operating instructions in a safe place !

[illegible]